

according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhenofol-Schweißpaste SB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

sealant

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: FDT Flachdach Technologie GmbH & Co. KG

Street: Eisenbahnstraße 6-8
Place: D-68199 Mannheim
Telephone: +49 (621) 8504100

Telephone: +49 (621) 8504100 Telefax: +49 (621) 8504200

e-mail: kundenservice@fdt.de

Contact person: Marco Anderer Telephone: +49 (621) 8504563

e-mail: marco.anderer@fdt.de Internet: http://www.fdt.de

Responsible Department: Arbeitssicherheit und Umweltschutz

1.4. Emergency telephone Poison Control Center (Mayence, GER): +49 (0)6131 - 19240 (24h - de, en)

number: Emergency Action: In the event of a medical enquiry involving this product,

please contact your doctor or local hospital accident and emergency department

or the NHS enquiry service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2 Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Harmful if swallowed.

Causes serious eye irritation.
Suspected of causing cancer.
May cause respiratory irritation.
May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

tetrahydrofuran

Signal word: Danger



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 2 of 10

Pictograms:







Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P241 Use explosion-proof electrical/ventilating/lighting equipment.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

Special labelling of certain mixtures

EUH019 May form explosive peroxides.

2.3. Other hazards

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with harmless additions.

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
109-99-9	tetrahydrofuran				
	203-726-8	603-025-00-0	01-2119444314-46		
	Flam. Liq. 2, Carc. 2, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, STOT SE 3; H225 H351 H302 H319 H335 H336 EUH019				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 3 of 10

position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Have victim drink large quantities of water, with active charcoal if possible. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Following eve contact: Causes serious eve irritation.

Following inhalation: May cause respiratory irritation.

After Ingestion: Harmful if swallowed. Headache. Drowsiness. Dizziness.

Suspected of causing cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours are heavier than air and will spread at floor level. Possible ignition over greater distances. Thermal decomposition can lead to harmful gases and vapours. May form explosive peroxides.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Keep away from sources of ignition - No smoking. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 4 of 10

recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal precautions: refer to section 8.

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

7.3. Specific end use(s)

sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
109-99-9	Tetrahydrofuran	50	150		TWA (8 h)	WEL
		100	300		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Eye/face protection

Tighty fitting safety glasses with side shields.

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: Butyl rubber.

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

Use protective filter mask in case of short-term and low exposure; in case of intense or longer exposure, use respiratory protection device operating independently from circulating air.

Respirator with combination filter for vapour and particles. Filter type A-P2.



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: paste-like
Colour: various
Odour: like: Ether

Test method

pH-Value: not determined

Changes in the physical state

Flammability

Gas: not determined

Explosive properties

The product is not explosive, however, formation of explosive mixtures are possible.

Lower explosion limits: *1,5 vol. % Upper explosion limits: *12,0 vol. %

Ignition temperature: *212 °C DIN 51794

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure: *217 hPa

(at 20 °C)

Density (at 20 °C):

Water solubility:

*completely miscible

Partition coefficient:

not determined

Viscosity / dynamic:

not determined

(at 20 °C)

Viscosity / kinematic: not determined
Vapour density: not determined
Solvent content: ca. 80 %

9.2. Other information

*The data refer to "tetrahydrofuran"

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

Avoid contact with oxidizing agents.



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 6 of 10

In the presence of oxygen and light: May form explosive peroxides.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxygen. Oxidizing agents, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

In case of fire: It may produce hazardous fumes like carbon monoxide or carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 561,8 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
109-99-9	tetrahydrofuran					
	oral	LD50	3000 mg/kg	Rat		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (tetrahydrofuran)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (tetrahydrofuran)

May cause drowsiness or dizziness. (tetrahydrofuran)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

In a two-year study, the application of tetra hydrofuran in high doses led to tumors in the liver of female mice and the kidney of male rats. The significance of this findings for the human health is not clear.

Further information

The product is skin resorptive.

SECTION 12: Ecological information

12.1. Toxicity

No data available.



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Product code: RCSO-FDT-017 Print date: 01.09.2016 Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	
109-99-9	tetrahydrofuran						
	Acute fish toxicity	LC50	2820 mg/l		Leuciscus idus (golden orfe)		
	Acute crustacea toxicity	EC50	5930 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Disposal according to official regulations. Do not dispose with household waste.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF 080409

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances

Classified as hazardous waste.

Waste disposal number of contaminated packaging

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF 080409

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 2056 14.1. UN number:

TETRAHYDROFURAN 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 3 14.4. Packing group: П Hazard label: 3



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 8 of 10



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 2056

14.2. UN proper shipping name: TETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 2056

14.2. UN proper shipping name: TETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

Air transport (ICAO)

14.1. UN number: UN 2056

14.2. UN proper shipping name: TETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB					
Print date: 01.09.2016	Product code: RCSO-FDT-017	Page 9 of 10			
IATA-packing instructions - Passenger:	353				
IATA-max. quantity - Passenger:	5 L				
IATA-packing instructions - Cargo:	364				
IATA-max. quantity - Cargo:	60 L				

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): ca. 80%

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants: not applicable

REGULATION (EC) No 689/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

Revision date: 26.08.2016

child-bearing age.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: tetrahydrofuran

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,5,6,7,8,10,11,13,15,16.

Version 1,00 - Creation - 02.06.2014

Version 1,01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general revision - 21.07.2015

Version 1,02 - General update - 26.08.2016

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

Rhenofol-Schweißpaste SB

Print date: 01.09.2016 Product code: RCSO-FDT-017 Page 10 of 10

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in

Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform Chemical Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

VwVwS: Administrative Regulation for Water Pollutants

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
EUH019 May form explosive peroxides.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

REACHECK Solutions GmbH, Frohsinnstraße 28, 63739 Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@reacheck.eu,

www.reacheck.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)