

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhepanol Paste grau

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

sealant

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|---|------------------------------|
| Company name: | FDT Flachdach Technologie GmbH & Co. KG | |
| Street: | Eisenbahnstraße 6-8 | |
| Place: | D-68199 Mannheim | |
| Telephone: | +49 (621) 8504100 | Telefax: +49 (621) 8504200 |
| e-mail: | kundenservice@fdt.de | |
| Contact person: | Marco Anderer | Telephone: +49 (621) 8504563 |
| e-mail: | marco.anderer@fdt.de | |
| Internet: | http://www.fdt.de | |
| Responsible Department: | Arbeitssicherheit und Umweltschutz | |

1.4. Emergency telephone

number: Poison Control Center (Mayence, GER)

+49 (0)6131-19240 (24h - de, en)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable solid: Flam. Sol. 1

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable solid.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Signal word: Danger

Pictograms:



Hazard statements

H228 Flammable solid.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 2 of 9

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container in accordance with national disposal regulations.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|--------|--|----------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| | Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | 20-30 % |
| | 919-446-0 | | 01-2119458049-33 | |
| | Flam. Liq. 3, STOT SE 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H336 H372 H304 H411 EUH066 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting. Aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 3 of 9

Following inhalation: May cause drowsiness or dizziness.
After skin contact: Repeated exposure may cause skin dryness or cracking.
In case of ingestion: If the material gets into the lungs, the following signs and symptoms may occur: tussive irritation, gasping, wheezing, dyspnea, respiratory tract blocked by mucus, short breath and/or fever.
Impairment of the respiratory organs may also occur after a few hours after the exposure.
Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours are heavier than air and will spread at floor level.
Thermal decomposition can lead to harmful gases and vapours.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Keep away from sources of ignition - No smoking.
Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal precautions: refer to section 8.
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Store in a dry

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 4 of 9

place. Protect from frost.

7.3. Specific end use(s)

sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Eye/face protection

Tightly fitting safety glasses with side shields.

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: NBR (Nitrile rubber). (0,8mm / Diffusion time: >240min)

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

Use protective filter mask in case of short-term and low exposure; in case of intense or longer exposure, use respiratory protection device operating independently from circulating air. short-term filtering equipment: AX (DIN EN 371 / DIN EN 141 / DIN EN 143)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|--------------|
| Physical state: | paste-like |
| Colour: | black |
| Odour: | solvent-like |

Test method

| | |
|-----------|----------------|
| pH-Value: | not determined |
|-----------|----------------|

Changes in the physical state

| | |
|--|----------------|
| Melting point: | not determined |
| Initial boiling point and boiling range: | not determined |
| Flash point: | not determined |

Flammability

| | |
|------|----------------|
| Gas: | not determined |
|------|----------------|

Explosive properties

Danger of explosion in case of decomposition.

| | |
|-------------------------|------------|
| Lower explosion limits: | 0,7 vol. % |
| Upper explosion limits: | 7,0 vol. % |
| Ignition temperature: | 240 °C |

Auto-ignition temperature

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 5 of 9

| | |
|-------------------------------------|------------------------|
| Gas: | not determined |
| Decomposition temperature: | not determined |
| Oxidizing properties | |
| not determined | |
| Vapour pressure: (at 20 °C) | 8 hPa |
| Density (at 20 °C): | 1,28 g/cm ³ |
| Water solubility: | insoluble |
| Solubility in other solvents | |
| Organic solvents: highly soluble. | |
| Partition coefficient: | not determined |
| Viscosity / dynamic: | not determined |
| Viscosity / kinematic: | not determined |
| Vapour density: | not determined |
| Solvent content: | 27,4% |

9.2. Other information

No further information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agents, strong.
acid.

10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

Severe effects after repeated or prolonged exposure

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 6 of 9

Repeated exposure may cause skin dryness or cracking.

Causes damage to organs through prolonged or repeated exposure. (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances
Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number:** UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es): 4.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 7 of 9

14.4. Packing group:

II

Hazard label:

4.1



Classification code:

F1

Special Provisions:

216 274 601

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

40

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number:

UN 3175

14.2. UN proper shipping name:

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es):

4.1

14.4. Packing group:

II

Hazard label:

4.1



Classification code:

F1

Special Provisions:

216 274 601 800

Limited quantity:

1 kg

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number:

UN 3175

14.2. UN proper shipping name:

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es):

4.1

14.4. Packing group:

II

Hazard label:

4.1



Special Provisions:

216, 274

Limited quantity:

1 kg

Excepted quantity:

E2

EmS:

F-A, S-I

Air transport (ICAO)

14.1. UN number:

UN 3175

14.2. UN proper shipping name:

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

14.3. Transport hazard class(es):

4.1

14.4. Packing group:

II

Hazard label:

4.1



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 8 of 9

| | | |
|--|------|-------|
| Special Provisions: | A46 | |
| Limited quantity Passenger: | 5 kg | |
| Passenger LQ: | Y441 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | | 445 |
| IATA-max. quantity - Passenger: | | 15 kg |
| IATA-packing instructions - Cargo: | | 448 |
| IATA-max. quantity - Cargo: | | 50 kg |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 0,00%

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants: not applicable

REGULATION (EC) No 689/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,7,8,9,10,12,15,16.

Version 1,00 - Creation - 20.09.2013

Version 1,01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general revision - 24.07.2015

Version 1,02 - Change and revision of the SDS because of new information / recipe - 23. 11.2015

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol Paste grau

Print date: 23.11.2015

Product code: RCSO-FDT-021

Page 9 of 9

concerning the International Carriage of Dangerous Goods by Road)
BlmSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
CAS: Chemical Abstracts Service
EC: Effective Concentration
EG: European Community (Europäische Gemeinschaft)
EN: European Norm
IATA: International Air Transport Association
IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
CLP: Classification, Labeling, Packaging
IUCLID: International Uniform Chemical Information Database
LC: Lethal concentration
LD: Lethal dose
log Kow: Octanol/water partition coefficient
MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
PBT: Persistent, bio-cumulative, toxic
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
TRGS: Technische Regeln für Gefahrstoffe
VOC: Volatile Organic Compounds
vPvB: very persistent and very bio-cumulative
VwVwS: Administrative Regulation for Water Pollutants
WGK: German Water Hazard Class
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
TLV: Threshold Limiting Value
STOT: Specific Target Organ Toxicity

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H304 | May be fatal if swallowed and enters airways. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

REACHECK Solutions GmbH, Frohsinnstraße 28, 63739 Aschaffenburg, Germany
Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@reacheck.eu,
www.reacheck.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)