

according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhepanol-Quellschweißpaste O.R.F.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

sealant

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name: FDT Flachdach Technologie GmbH & Co. KG

Street: Eisenbahnstraße 6-8
Place: D-68199 Mannheim
Telephone: +49 (621) 8504100

Telephone: +49 (621) 8504100 Telefax: +49 (621) 8504200

e-mail: kundenservice@fdt.de

Contact person: Marco Anderer Telephone: +49 (621) 8504563

e-mail: marco.anderer@fdt.de
Internet: http://www.fdt.de

Responsible Department: Arbeitssicherheit und Umweltschutz

1.4. Emergency telephone Poison Control Center (Mayence, GER) +49 (0)6131-19240 (24h - de, en)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard categories:

Flammable liquid: Flam. Liq. 3

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Signal word: Warning

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

....

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.					
Print date: 31.07.2015	Product code: RCSO-FDT-035	Page 2 of 10			
	smoking.				
P243	Take precautionary measures against static discharge.				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P262	Do not get in eyes, on skin, or on clothing.				
P280	P280 Wear protective gloves/protective clothing/eye protection/face protection.				
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.				
P331	Do NOT induce vomiting.				
P501	Dispose of contents/container in accordance with national disposal regulations.				

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
	Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)			50-<100 %
	928-136-4		01-2119484809-19	
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H336 H304 H411 EUH066			

Full text of H and EUH phrases: see section 16.

Further Information

There is the following note: The classification of "Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)" as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0.1 wt% benzene (EINECS No 200-753-7). If the substance is not classified as a carcinogen, so at least the safety (102) -260-262-301 + 310-331 (Table 3.1) or the S phrases (2) -23-24-62 (Table 3.2) apply. This note applies only to certain complex oil-derived substances in Part 3 of this regulation.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.





according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 3 of 10

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting. Aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

Following inhalation: May cause drowsiness or dizziness.

After skin contact: Repeated exposure may cause skin dryness or cracking.

In case of ingestion: If the material gets into the lungs, the following signs and symptoms may occur: tussive irritation, gasping, wheezing, dyspnea, respiratory tract blocked by mucus, short breath and/or fever. Impairment of the respiratory organs may also occur after a few hours after the exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours are heavier than air and will spread at floor level. Thermal decomposition can lead to harmful gases and vapours.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal precautions: refer to section 8.

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.





according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 4 of 10

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

sealant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
	Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)					
Worker DNEL, long-term		dermal	systemic	44 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	71 mg/m³		
Consumer DNEL, long-term		dermal	systemic	26 mg/kg bw/day		
Worker DNEL, long-term		inhalation	systemic	330 mg/m³		
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day		

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Eye/face protection

Tighty fitting safety glasses with side shields.

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber).

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

Use protective filter mask in case of short-term and low exposure; in case of intense or longer exposure, use respiratory protection device operating independently from circulating air.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: paste-like Colour: black



according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 5 of 10

Odour: like: gasoline

Test method

FDT Flachdach Technologie GmbH & Co. KG

pH-Value: not determined

Changes in the physical state

not determined Melting point: 135 °C Initial boiling point and boiling range: Flash point: 25 °C

Flammability

not determined Gas:

Explosive properties

The product is not explosive, however, formation of explosive mixtures are possible.

Lower explosion limits: 2,4 vol. % 9.0 vol. % Upper explosion limits: Ignition temperature: 270 °C

Auto-ignition temperature

Gas: not determined not determined Decomposition temperature:

Oxidizing properties

not determined

Vapour pressure: 23 hPa

(at 50 °C)

Density (at 20 °C): 1,0 g/cm3 DIN 53420

Water solubility: partially miscible Partition coefficient: not determined

Viscosity / dynamic: 3000 mPa·s ISO 2555

(at 20 °C)

not determined Viscosity / kinematic: Vapour density: not determined 70,0% Solvent content:

9.2. Other information

No further information availible.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agents, strong.





according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 6 of 10

10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
	Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)					
	oral	LD50	>5000 mg/kg	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%))

Severe effects after repeated or prolonged exposure

Repeated exposure may cause skin dryness or cracking.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%): Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and



according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 7 of 10

process.

Waste disposal number of waste from residues/unused products

 ${\tt 080409} \qquad {\tt WASTES} \ {\tt FROM} \ {\tt THE} \ {\tt MANUFACTURE}, \ {\tt FORMULATION}, \ {\tt SUPPLY} \ {\tt AND} \ {\tt USE} \ ({\tt MFSU}) \ {\tt OF} \ {\tt COATINGS}$

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and

sealants containing organic solvents or other dangerous substances

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 113314.2. UN proper shipping name:Adhesives

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 640E
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1133 **14.2. UN proper shipping name:** Adhesives

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 640E
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)



according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 8 of 10

14.1. UN number:UN 113314.2. UN proper shipping name:Adhesives

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

Ja

223, 955

Limited quantity:

5 L

E1

EnS:

F-E, S-D

Air transport (ICAO)

14.1. UN number: UN 1133 **14.2. UN proper shipping name:** Adhesives

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

10 L

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 700,0 g/l

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not





according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 9 of 10

applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants: not applicable

REGULATION (EC) No 689/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Hydrocarbons, C8-C10, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

SECTION 16: Other information

Changes

Version 1,00 - Creation - 10.09.2014

Version 1.01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general

revision - 23.07.2015

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous

Chemicals in Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform Chemical Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from

Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

VwVwS: Administrative Regulation for Water Pollutants

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

DNEL: Derived No Effect Level





according to Regulation (EC) No 1907/2006

Rhepanol-Quellschweißpaste O.R.F.

Print date: 31.07.2015 Product code: RCSO-FDT-035 Page 10 of 10

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

REACheck Solutions GmbH, Mühlstraße 94a, 63741 Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@reacheck.eu,

www.reacheck.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)