

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rhepanol h-Nahreiniger

UFI: SY71-38MT-X00X-PGYX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

cleaner

Uses advised against

Only use for the intended purpose.

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	FDT Flachdach Technologie GmbH	
Street:	Eisenbahnstraße 6-8	
Place:	D-68199 Mannheim	
Telephone:	+49 (621) 8504100	Telefax: +49 (621) 8504200
e-mail:	kundenservice@fdt.de	
Contact person:	Fachkraft für Arbeitssicherheit	Telephone: +49 (621) 8504303
e-mail:	gefahrstoffe@fdt.de	
Internet:	http://www.fdt.de	
Responsible Department:	Arbeitssicherheit und Umweltschutz	

1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

butanone; ethyl methyl ketone

1-methoxy-2-propanol; monopropylene glycol methyl ether

Signal word: Danger

Pictograms:



Hazard statements

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 2 of 12

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container according to regional/national regulations. Do not discard with household waste.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
78-93-3	butanone; ethyl methyl ketone			55 %
	201-159-0	606-002-00-3	01-2119457290-43	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether			45 %
	203-539-1	603-064-00-3	01-2119457435-35	
	Flam. Liq. 3, STOT SE 3; H226 H336			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.
Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.
In case of irregular breathing or respiratory arrest, perform artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 3 of 12

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunk in little sips (dilution effect). Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Following eye contact: Causes serious eye irritation.

Following inhalation: May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂). Extinguishing powder. Water spray. Fight larger fires with water spray jet or alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. Vapours are heavier than air and will spread at floor level.

Thermal decomposition can lead to harmful gases and vapours.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Keep away from sources of ignition - No smoking.

Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal precautions: refer to section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 4 of 12

care. Avoid the formation of aerosol.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

cleaner

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
78-93-3	butanone; ethyl methyl ketone			
	Worker DNEL, long-term	dermal	systemic	1161 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	600 mg/m ³
	Consumer DNEL, acute	dermal	local	412
	Consumer DNEL, long-term	inhalation	systemic	106 mg/m ³
	Consumer DNEL, long-term	oral	systemic	31 mg/kg bw/day
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether			
	Worker DNEL, acute	inhalation	local	553,5 mg/m ³
	Worker DNEL, long-term	dermal	systemic	50,6 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	369 mg/m ³
	Consumer DNEL, long-term	dermal	systemic	18,1 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	43,9 mg/m ³
	Consumer DNEL, long-term	oral	systemic	3,3 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahtreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 5 of 12

PNEC values

CAS No	Substance	Value
Environmental compartment		
78-93-3	butanone; ethyl methyl ketone	
Freshwater		55,8 mg/l
Marine water		55,8 mg/l
Micro-organisms in sewage treatment plants (STP)		709 mg/l
Soil		22,5 mg/kg
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	
Freshwater		10 mg/l
Marine water		1 mg/l
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Freshwater sediment		41,6 mg/kg
Marine sediment		4,17 mg/kg
Soil		2,47 mg/kg

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid skin, eye and clothing contact. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Eye/face protection

Tightly fitting safety glasses with side shields.

Hand protection

Protect skin by using skin protective cream. Wear suitable gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: Butyl rubber. NBR (Nitrile rubber). NR (Natural rubber (Caoutchouc), Natural latex). PVC (Polyvinyl chloride). penetration time (maximum wearing period): >240 minutes

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

Use protective filter mask in case of short-term and low exposure; in case of intense or longer exposure, use respiratory protection device operating independently from circulating air.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 6 of 12

Initial boiling point and boiling range: 79 °C

Flash point: -4 °C

Flammability

Gas: not determined

Explosive properties

The product is not explosive, however, formation of explosive mixtures are possible.

Lower explosion limits: 1,8 vol. %

Upper explosion limits: 12,0 vol. %

Ignition temperature: 278 °C DIN 51794

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

not determined

Vapour pressure:
(at 20 °C) 95 hPaDensity (at 20 °C): 0,863 g/cm³ DIN 53217

Water solubility: Not mixable and/or hard to mix.

Partition coefficient: not determined

Viscosity / dynamic:
(at 20 °C) 1 mPa·s ISO 2555

Viscosity / kinematic: not determined

Vapour density: not determined

Solvent content: 100,0%

9.2. Other information

No further information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Electrostatic charges.

10.5. Incompatible materials

acid. Alkalis (alkalis). Oxidizing agents, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to harmful gases and vapours.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 7 of 12

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-93-3	butanone; ethyl methyl ketone				
	oral	LD50 >2193 mg/kg	Rat	OECD 423	
	dermal	LD50 >5000 mg/kg	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 34 mg/l	Rat		
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether				
	oral	LD50 4016 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (butanone; ethyl methyl ketone; 1-methoxy-2-propanol; monopropylene glycol methyl ether)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
78-93-3	butanone; ethyl methyl ketone					
	Acute fish toxicity	LC50 2990 mg/l	96 h	Pimephales promelas	OECD 203	
	Acute algae toxicity	ErC50 1972 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 308 mg/l	48 h	Daphnia magna	OECD 202	
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether					
	Acute fish toxicity	LC50 6812 mg/l	96 h	Leuciscus idus		
	Acute crustacea toxicity	EC50 21100-25900 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 8 of 12

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether				
	OECD 301E	96%		28	

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	0,37

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (butanone; ethyl methyl ketone, 1-methoxy-2-propanol; monopropylene glycol methyl ether)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahtreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 9 of 12

Classification code: F1
 Special Provisions: 274 601 640D
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 33
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (butanone; ethyl methyl ketone, 1-methoxy-2-propanol; monopropylene glycol methyl ether)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Special Provisions: 274 601 640D
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (butanone; ethyl methyl ketone, 1-methoxy-2-propanol; monopropylene glycol methyl ether)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Marine pollutant: Nein
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (butanone; ethyl methyl ketone, 1-methoxy-2-propanol; monopropylene glycol methyl ether)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: A3
 Limited quantity Passenger: 1 L
 Passenger LQ: Y341

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 10 of 12

Excepted quantity:	E2	
IATA-packing instructions - Passenger:		353
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special precautions known.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 100 % (863 g/l)

2004/42/EC (VOC): 862,5 g/l

Additional information

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

butanone; ethyl methyl ketone

1-methoxy-2-propanol; monopropylene glycol methyl ether

SECTION 16: Other information

Changes

Version 1,00 - Creation - 07.08.2012

Version 1,01 - Classification/Labeling according Regulation No.1272/2008 (GHS/CLP) and general revision - 27.07.2015 General revision as part of translation activities - 21. 11.2018

Version 1,02 - General update - 21.01.2021

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 11 of 12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act
 CAS: Chemical Abstracts Service
 DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)
 EC: Effective Concentration
 EG: European Community (Europäische Gemeinschaft)
 EN: European Norm
 IATA: International Air Transport Association
 IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Code for Dangerous Goods
 ISO: Norm of the International Standards Organization
 CLP: Classification, Labeling, Packaging
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal concentration
 LD: Lethal dose
 log Kow: Octanol/water partition coefficient
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
 OECD: Organisation for Economic Co-operation and Development
 PBT: Persistent, bio-cumulative, toxic
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 vPvB: very persistent and very bio-cumulative
 WGK: German Water Hazard Class
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration
 TLV: Threshold Limiting Value
 STOT: Specific Target Organ Toxicity
 AwSV: Ordinance on Installations for Handling Substances Hazardous to Water

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Rhepanol h-Nahreiniger

Revision date: 21.01.2021

Product code: FDT-024

Page 12 of 12

assesog AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@assesog.eu, www.assesog.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)